OE ENERGY MARKET SNAPSHOT

Northeast States Version – April 2008 Data

- **Market Fundamentals**
- **Prices and Market Analysis**

Office of Enforcement
Federal Energy Regulatory Commission
May 2008


2008
Summer Market and
Reliability Assessment
Item No.: A-3
May 15, 2008

May 2008
New England Update

Daily Average of ISO-NE Day-Ahead Prices - All Hours



Source: Derived by *Bloomberg* from *ISO-NE* data as reported by *Bloomberg*.

Updated May 19, 2008

1st Week of May: Peak Load, Outages, and LMPs

	Date	Peak Load (prelim.)	Generator Outages	Projected Surplus	Average Hub LMP
Thursday	5/1/2008	15,711	8,751	1,870	95.09
Friday	5/2/2008	15,785	8,295	923	118.19
Saturday	5/3/2008	14,540	10,578	384	117.03
Sunday	5/4/2008	14,600	10,679	344	100.86
Monday	5/5/2008	15,627	10,663	680	160.20
Tuesday	5/6/2008	15,792	10,888	978	161.18
Wednesday	5/7/2008	15,873	12,866	243	182.91
Thursday	5/8/2008	16,259	10,534	1,870	105.01
Friday	5/9/2008	15,450	10,237	2,832	77.10

Note: “Generator Outages” and “Projected Surplus” are from the ISO-NE morning report. With the exception of Hub LMPs, all values should be considered preliminary and subject to change.

Supply Stack Comparison



Market Fundamentals

NOAA's 8 to 14 Day Temperature Forecast
Made May 18, Valid for May 26 – June 1, 2008



Note: "A" areas are above normal and "B" areas are below normal. Normal is based on the last 30 years of data.

Source: NOAA

Updated May 19, 2008

3012

NOAA's Monthly Temperature Forecast Made April 30, Valid for May 2008



Note: "A" areas are above normal, "B" areas are below normal and "EC" means equal chance. Normal based on the last 30 years of data.

Source: NOAA

Updated May 12, 2008

3012

U. S. Summer Cumulative Cooling Degree Days



Source: Derived from *NOAA* data.

Updated May 6, 2008

Weekly Electric Generation Output and Temperatures New England



Source: Derived from *EEI* and *NOAA* data.

Updated May 16, 2008

Weekly Electric Generation Output and Temperatures Mid Atlantic Region



Source: Derived from *EEI* and *NOAA* data.

Updated May 16, 2008

1112

Total U.S. Working Gas in Storage



Source: Derived from *EIA* data.

Updated May 16, 2008

Regional Totals of Working Gas in Storage



Source: Derived from *EIA* data.

Updated May 16, 2008

2004

U.S. and Canadian Natural Gas Drilling Rig Count and Daily Spot Prices



Source: Derived from *Platts* and *Baker Hughes* data.

Updated May 16, 2008

Prices and Market Analysis

Daily Average of ISO-NE Day-Ahead Prices - All Hours



Source: Derived by *Bloomberg* from *ISO-NE* data as reported by *Bloomberg*.

Updated May 6, 2008

1129

Daily Average of ISO-NE Day-Ahead Prices - All Hours



Source: Derived by *Bloomberg* from *ISO-NE* data as reported by *Bloomberg*.

Updated May 6, 2008

1021

Daily Average of NYISO Day-Ahead Prices - All Hours



Source: Derived by *Bloomberg* from *NYISO* data as reported by *Bloomberg*.

Updated May 6, 2008

1130

Daily Average of NYISO Day-Ahead Prices - All Hours



Source: Derived by *Bloomberg* from *NYISO* data as reported by *Bloomberg*.

Updated May 6, 2008

1030

Eastern Daily Bilateral Day-Ahead On-Peak Prices



Source: Derived from *Platts* data.

Updated May 6, 2008

1031

Implied Heat Rates at Eastern Trading Points



Source: Derived from *Platts* data

Updated May 16, 2008

1136

PJM, NYISO and ISO-NE Capacity Prices



Note: PJM values are for Base Residual Auctions only.

ISO-NE results for 2010/2011 are based on preliminary FCM auction before pro-rationing and EAS adjustment.

Source: Derived from *PJM, NYISO and ISO-NE* data

Updated May 16, 2008

1144

New England Electric Forward Price Curve and New York and Henry Hub Natural Gas Forward Curves



Source: Derived from *Nymex* data.

Updated May 6, 2008

1127

New York Electric Forward Price Curves and New York and Henry Hub Natural Gas Forward Curves

Source: Derived from *Nymex* data.

Updated May 6, 2008

1150

Federal Energy Regulatory Commission • Market Oversight @ FERC.gov

Henry Hub Natural Gas Daily Spot Prices
2007, 2008 and 2003-2007 Year Range



Source: Derived from *Platts* data.

Updated May 6, 2008

2085

U. S. Gas Futures Prices Rise Above $6-$8 Range



Source: Derived from *NYMEX* and *ICE* data.

Updated May 6, 2008

2177

Northeastern Spot Prices and Basis



Source: Derived from *Platts* data.

Updated May 6, 2008

2030

Northeastern Monthly Average Basis Value to Henry Hub



Source: Derived from *Platts* data.

Updated May 6, 2008

Natural Gas Winter Futures Strip and Daily Henry Hub Spot and Bidweek Prices





Source: Derived from *Platts* and *Nymex* data.

Updated May 6, 2008

Monthly Gas Imports at Existing U.S. LNG Facilities



Source: Derived from *EIA* data.

Updated May 6, 2008

Daily Gas Sendout from Existing U.S. LNG Facilities



Source: Derived from *Bentek* data. Excludes Everett LNG delivered via truck and consumed by the Mystic plant.

Updated May 6, 2008

3007

Federal Energy Regulatory Commission • Market Oversight @ FERC.gov

World Natural Gas Prices for April 2008



Source: Derived from *Bloomberg, ICE, ICAP and LNG Japan Corp.* data. Spot Price is a monthly average of daily prices. Contract Price is a monthly price. All prices in $US/MMBtu.

Updated May 6, 2008

3017

Atlantic Basin European and US Spot Natural Gas Prices



Source: Derived from *Bloomberg* and *ICE* data.

Updated May 6, 2008

3008

Oil, Natural Gas and Currency Spot Prices



Source: Derived from *Bloomberg* data.

Updated May 6, 2008

3009

Oil, Coal, Natural Gas and Propane Daily Spot Prices



Source: Derived from *ICE* and *Bloomberg* data.

Note: Coal prices are quoted in $/ton. Conversion factors to $/MMBtu are based on contract specifications of 12,000 btus/pound for Central Appalachian coal and 8800 btus/pound for Powder River Basin coal.

Updated May 6, 2008

3001

May 2008
NYMEX and ICE Contract Final Settlement Day



See 2003-2007 historical monthly final settlement day charts.

Source: Derived from *Nymex and ICE* data.

Updated May 5, 2008

Renewable Energy Portfolio Standards (RPS)



Notes: Alaska has no RPS; DG is distributed generation; * Iowa has a goal of 1,000 MW of wind by 2010
Sources: Derived from data in: EEI, EIA, LBNL, PUCs, State legislative tracking services, Database of State Incentives for Renewables and Efficiency, and the Union of Concerned Scientists.

Updated May 15, 2008

1109

Renewable Energy Portfolio Standards

- A Renewable Portfolio Standard (RPS) requires a percent of energy sales or installed capacity to come from renewable resources.
- **27** states and D.C. have renewable energy standards.
  - **Ohio's** energy bill created an advanced energy requirement of 25% by 2025. At least half of the requirement should be met with renewable energy, with at least half of that cited in Ohio. There is a solar requirement which peaks at one-half percent in 2025.
  - **Florida's** Energy Act directs the Public Service Commission to adopt rules for an RPS, including provision for renewable energy credits and trading. The rules are due to the legislature by February 2009 to be ratified. The law did not specify a target percent or an ending year.
  - **New Jersey** issued its draft Energy Master Plan for public comment. Among the action items to strengthen its RPS and increase its use of renewables are: transitioning the solar program to a fiscally responsible market; developing offshore (1,000 MW) and onshore (200 MW) wind; increasing use of biofuels and biomass; and extending its 22.5% RPS goal to 2025.
- **Five** states have enacted renewable goals without financial penalties.
- Thirteen states include energy efficiency in their RPS or renewable goals; more are considering energy efficiency additions or companion bills.
- Twenty-one generation and transmission co-operatives formed a National Renewable Cooperative Organization (NRCO) to aggregate the needs of co-ops to buy and build renewable energy. Many co-ops have obligations to meet RPS targets in their states, but are also in the midst of renewable-rich areas that cannot get those resources to urban load centers. Its Board called on Congress to do more to make it possible to build (renewable) transmission lines.
- The Western Governor's Association, which covers 19 states, launched a project to identify common transmission needs and potential transmission costs to spur regional renewable energy resource development with Western Renewable Energy Zones (WREZ). Similar renewable transmission zones have been identified in Texas to bring renewable generation from remote areas to load centers.

Updated May 15, 2008

1109

Energy Efficiency Resource Standards (EERS)

ID: evaluating DR, EE, and RE as priority resources

MT: state agency reduction initiative: save 20% by 2010

MN: reduce fossil fuel use 15% by 2015 through EE, RE

IA: utilities must establish EE goals by end of 2008

WI: RPS requires utility EE

MI: incremental savings beginning in 2009, increasing to 2012

IL: use cost-effective EE, DR to reduce energy 2% by 2015

OH: reduce peak-demand 8% by 2018; effect energy savings of 22% by 2025

ME: 10% new EE by 2017; in RPS goal as 2nd priority

VT EE & RE to meet 2007-12 growth; new EE fund

MA: pending bill - acquire all cost-effective resources

NY: goal - reduce 15% of forecast energy use by 2015

CT: 4% savings by 2010, and a Tier III RPS resource

WA: must pursue all cost-effective conservation

CA: IOUs reduce MW 10%, peak demand (MWh) 12% by 2013; munis 10% by 2017

NV: use EE for up to 25% of RPS by 2015

UT: EE incentives in RPS goal

CO: save 40 MW and 100 GWh annually to 2013

NM: use EE and DR to save 10% of '05 retail electric sales by 2020

KS: studying for E&G utilities

OK: implement DSM and EE to defer or avoid new plant construction

TX: 10% of load growth, beyond 2004, based on prior 5 years



HI: 20% of MWh sales by 2020; up to 50% of RPS

PA: pending bills -- EE savings of 2.5% by '13; new EE fund

NJ: reduce energy consumption 20% by 2020 using EE, DR, CHP; reduce peak 5,700 MW by 2020

MD: reduce peak-demand and per cap electricity use 15% by 2015

DE: promote EE and conservation by a Sustainable Energy Utility

VA: reduce 10% of 2006 sales by 2022 with EE, DR

NC: EE to meet up to 25% of RPS to 2011; later to 40%

TVA: encourages customers to save 1200 MW per day 2008-2012

FL: Law directs PSC to adopt goals to reduce electric consumption and peak demand by EE and DR

- EERS by regulation or law (separate from RPS)
- Energy efficiency part of an RPS rule or goal
- Voluntary standards (in or out of RPS)
- Energy efficiency goal proposed / being studied

Abbreviations: CHP – Combined heat & power; DR - demand response; DSM - demand side management; EE - energy efficiency; E&G: electric and gas utilities; RPS: Renewable Portfolio Standard

Sources: ACEEE, EPA, Regulatory Assistance Project, Union of Concerned Scientists, State legislative sites, trade press

Updated May 15, 2008

1126

Energy Efficiency Resource Standards (EERS)

- An energy efficiency resource - or portfolio - standard (EERS) aims to reduce or flatten electric load growth through energy efficiency measures.
- Goals may specify reductions in energy (MWh), demand (MW), or both.
- Twenty states have energy efficiency standards or goals; thirteen include energy efficiency as part of a renewable portfolio standard or goal.
  - Five states added an EERS in 2007: Minnesota, Virginia, North Carolina, Connecticut, and Illinois.
  - States that enacted significant energy efficiency legislation (standards or goals) in 2008 include: New Mexico, Vermont, Maryland, Utah, Ohio, Florida, and New Jersey.
- At least fourteen states include demand response as a means to reduce consumption or peak load, including: CA, FL, ID, IL, ME, MD, NJ, NM, OH, OK, PA, UT, VA, and VT.
- A dozen states have successfully used decoupling mechanisms for to encourage energy efficiency, mostly for gas distribution utilities. Ohio's law includes decoupling for electric utilities; Maryland approved decoupling in BG&E's rate filing.
- Iowa's Energy Efficiency law (SF 2386) establishes a commission on EE standards and practices. It also directs utilities to establish cost-effective EE goals. They must report these by Jan. 1, 2009.
- Ohio enacted energy efficiency standards as part of its hybrid restructuring bill, SB 221:
  - It set an overall energy reduction goal of at least 22% by the end of 2025
  - It set a 7.75% peak demand reduction requirement for electric distribution utilities by the end of 2018.
  - It advocates revenue decoupling for electric and gas utilities to promote energy efficiency.
- Florida's omnibus energy bill includes multiple measures to promote energy efficiency:
  - the PSC must set goals to increase the efficiency of energy consumption, to reduce growth rates of electric consumption, and to reduce growth of weather-sensitive peak demand.
  - It should also promote cost-effective demand- and supply-side efficiency and conservation programs.
  - It may allow efficiency investments in generation, transmission, and distribution, as well as in customer efficiencies.
  - It may allow IOUs to earn additional return on equity for exceeding EE and conservation goals.

Updated May 15, 2008